



RIDGE, HIP, PEAK, AND ROOF TRANSITION FLASHINGS

ROOF FLASHINGS WILL BE 4/12 PITCH UNLESS OTHERWISE SPECIFIED


RIDGE/HIP
RR12




RIDGE/HIP
RR12H




RIDGE/HIP
RC15




RIDGE/HIP
RC18




RIDGE/HIP
RC24




RIDGE/HIP
PROTEK




RIDGE/HIP
PRO12




RIDGE/HIP
PRO15



RIDGE/HIP
PRO18



PEAK/SINGLE SLOPE




PROFILE	WEATHERSHIELD	DURACLAD/ALLCLAD DIAMOND	WF-7/8" CORRUGATED	PROLOK	WF-12-36	WF-636
---------	---------------	-----------------------------	-----------------------	--------	----------	--------


PEAK(CODE)	WSPEAK	DCPEAK	CORPEAK	PROPEAK	1236PEAK	636PEAK
A	3-3/4"	3-3/4"	4-1/4"	3-3/4"	5-1/4"	6-1/2"
B	6-3/4"	6-3/4"	6-1/4"	6-3/4"	8-1/4"	7"

MATERIAL	12"	12"	12"	12"	15"	15"
----------	-----	-----	-----	-----	-----	-----


ROOF TRANSITION
RT1



ROOF TRANSITION
RT2



ROOF TRANSITION
RT2L



NOTE: FOR MINOR PITCH CHANGES


WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

EAVE AND SNOW STOP FLASHINGS

ROOF FLASHINGS WILL BE 4/12 PITCH UNLESS OTHERWISE SPECIFIED

EAVE (STANDARD)


SPECIFY PITCH



PROFILE	WEATHERSHIELD	DURACLAD/ALLCLAD DIAMOND	WF-7/8" CORRUGATED	PROLOK	WF-12-36	WF-636
EAVE(CODE)	WSEAVE	DCEAVE	COREAVE	PROEAVE	1236EAVE	636EAVE
A	3-3/4"	4"	4"	4"	4"	3-1/4"
B	3-1/4"	2-3/4"	3-1/8"	2-1/2"	3-7/8"	4-3/4"
MATERIAL	9"	9"	9"	9"	9"	9"

HOOK EAVE EAVEH

SPECIFY PITCH




NOTE: HOOK EAVE IS GENERALLY USED WITH PROLOK AND WILL REQUIRE REMOVING MATERIAL FROM THE RIBS TO FOLD THE FLAT PORTION OF THE PROFILE 180 DEGREES TO HOOK THE EAVE.

9"

EAVE EAVES

SPECIFY PITCH




26 GAUGE OR HEAVIER
DURACLAD
ALLCLAD
DIAMOND
WF-12-36
WF-636R
WF-7/8" CORRUGATED

9"

EAVE EAVESV


SPECIFY PITCH



NOTE: EAVE SV IS DESIGNED WITH THE USE OF PROFILE VENT FOR THE EAVE VENTILATION WHEN AN OVER-HANG IS NOT PRESENT.


12"

SNOW STOP SS1



9"

SNOW STOP SS2




NOTE: 4-3/8" STIFFENER, 22GA

26 GAUGE OR HEAVIER
DURACLAD
ALLCLAD
DIAMOND
WF-12-36
WF-636R
WF-7/8" CORRUGATED


WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
SS2									

GABLE FLASHINGS


WEATHERSHIELD
WSGT




DURACLAD/ALLCLAD/DIAMOND
DCGT




WF-7/8" CORRUGATED
CORGT




PROLOK
PRGT




WF-12-36
1236GT



WF-636
636GT



GTS
GTS




WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

TERMS NET 30 DAYS. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

PROW GABLE FLASHINGS


PROW GABLES ARE FOR GABLE ENDS GREATER THAN 90° TO THE EAVE

WEATHERSHIELD
WSPROW




18"

DURACLAD/ALLCLAD/DIAMOND
DCPROW




18"

WF-7/8" CORRUGATED
CORPROW




18"

PROLOK
PRPROW




18"

WF-12-36
1236PROW



24"

WF-636
636PROW



24"

WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

TERMS NET 30 DAYS. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

VALLEY, END WALL, SIDE WALL FLASHINGS

ROOF FLASHINGS WILL BE 4/12 PITCH UNLESS OTHERWISE SPECIFIED

W VALLEY 24"
WV24


SPECIFY PITCH

W VALLEY 36"
WV36


SPECIFY PITCH

V VALLEY 36"
V36

SPECIFY PITCH



24"



36"



36"

W VALLEY 36" HOOK
WVH36


SPECIFY PITCH

V VALLEY 36" HOOK
VH36


SPECIFY PITCH

END WALL
EW


SPECIFY PITCH



36"




36"




12"

SIDE WALL WEATHERSHIELD
WSSW




9"

SIDE WALL DURACLAD/ALLCLAD/DIAMOND
DCSW




9"

SIDE WALL WF-7/8" CORRUGATED
CORSW




9"

SIDE WALL PROLOK
PRSW




9"

SIDE WALL WF-12-36
1236SW



9"

SIDE WALL WF-636
636SW



9"

WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

TERMS NET 30 DAYS. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

FASCIA FLASHINGS


FC 6, 8, 10
FC(6,8,10)

FC **A** TOTAL MATERIAL

6 5-1/2 9"

8 7-1/2 12"

10 9-1/2 15"




FR 6, 8, 10
FR(6,8,10)

FR **A** TOTAL MATERIAL

6 5-1/2 9"

8 7-1/2 12"

10 9-1/2 15"



RIBS EVENLY SPACED


LT 6, 8, 10
LT(6,8,10)

LT **A** TOTAL MATERIAL

6 5-1/2 9"

8 7-1/2 9"

10 9-1/2 12"




LTR 6, 8, 10
LTR(6,8,10)

LTR **A** TOTAL MATERIAL


6 5-1/2 9"

8 7-1/2 12"


10 9-1/2 12"



FLUSH FASCIA
PROBOARD
PBFF




DROP FASCIA
PROBOARD
PDBF




WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

DOOR MOLDING FLASHINGS


DOOR MOLDING DRIP
DMD1




DOOR MOLDING DRIP
DMD2



DOOR MOLDING EDGE
DM1



DOOR MOLDING EDGE
DM2




WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

TERMS NET 30 DAYS. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.


OVER HEAD DOORS AND CANNONBALL COVER FLASHINGS

OVER HEAD DOOR DRIP
OHDD




15"

OVER HEAD DOOR DRIP
PBJHD




12"

OVER HEAD DOOR EDGE
OHDE



15"

OVER HEAD DOOR EDGE
PBJED



15"

CANNONBALL TRACK COVER
FACE KWIK-FRAME SINGLE TRACK




12"

CANNONBALL TRACK COVER
FACE BIGG-BIGG SINGLE TRACK



12"

CANNONBALL TRACK COVER
FACE DOUBLE TRACK



18"


WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

WALL BASE AND HEADER FLASHINGS

WALL BASE AND HEADER TRIMS WILL BE BENT WITH A 5° SLOPE


WALL BASE - COLOR 1 SIDE
MESA
WMDC

5° SLOPE




WALL BASE - COLOR 1 SIDE
WEATHERSHIELD
WSDC

5° SLOPE




WALL BASE - COLOR 1 SIDE
PROBOARD
PBDC

5° SLOPE




WALL BASE - COLOR 1 SIDE
DURACLAD/ALLCLAD/
DIAMOND
DCDC

5° SLOPE




WALL BASE - COLOR 1 SIDE
WF-7/8" CORRUGATED
CORDC

5° SLOPE




WALL BASE - COLOR 1 SIDE
WF-HF/PROLOK
HFDC

5° SLOPE




WALL BASE - COLOR 1 SIDE
WF-12-36
1236DC

5° SLOPE




WALL BASE - COLOR 1 SIDE
WF-636
636DC

5° SLOPE




HEADER - COLOR 2 SIDE
WEATHERSHIELD
WSHD

5° SLOPE




HEADER - COLOR 2 SIDE
PROBOARD
PBHD

5° SLOPE




HEADER - COLOR 2 SIDE
DURACLAD/ALLCLAD/
DIAMOND
DCHD

5° SLOPE




HEADER - COLOR 2 SIDE
WF-7/8" CORRUGATED
CORHD

5° SLOPE




HEADER - COLOR 2 SIDE
WF-HF/PROLOK
HFHD

5° SLOPE




HEADER - COLOR 2 SIDE
WF-12-36
1236HD

5° SLOPE




HEADER - COLOR 2 SIDE
WF-636
636HD

5° SLOPE



REVERSE WALL BASE AND HEADER
EX. (Profile)DCR
or (Profile)HDR

5° SLOPE




WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									


J TRIM FLASHINGS

JT2 J TRIMS WILL HAVE COLOR INSIDE AND OUT


J TRIM MESA
WMJM




J TRIM 1 - COLOR 1 SIDE WEATHERSHIELD
WSJT1




J TRIM PROBOARD
PBJT




J TRIM 1 - COLOR 1 SIDE DURACLAD/ALLCLAD/DIAMOND
DCJT1




J TRIM 1 - COLOR 1 SIDE WF-7/8" CORRUGATED
CORJT1




J TRIM 1 - COLOR 1 SIDE WF-HF
HFJT1




J TRIM 1 - COLOR 1 SIDE WF-12-36
1236JT1




J TRIM 1 - COLOR 1 SIDE WF-636
636JT1




J TRIM 2 - COLOR 2 SIDE WEATHERSHIELD
WSJT2




J TRIM 2 - COLOR 2 SIDE DURACLAD/ALLCLAD/DIAMOND
DCJT2




J TRIM 2 - COLOR 2 SIDE WF-7/8" CORRUGATED
CORJT2




J TRIM 2 - COLOR 2 SIDE PROLOK
PRJT2




J TRIM 2 - COLOR 2 SIDE WF-12-36
1236JT2



J TRIM 2 - COLOR 2 SIDE WF-636
636JT2



J TRIM VENTED
JTV



	A	B
PBJTV	2-3/4	3/4
DCJTV	2-5/8	7/8
HFJTV	2-3/8	1-1/8
636JTV	2-7/8	1-5/8

WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
JTV									

EZLOK TRIM FLASHINGS 2 PC TRIMS

EZLOK TRIMS CONSIST OF BASES AND TOP CAPS


EZLOK J

PROFILE	CODE	DEPTH
WEATHERSHIELD	WSEZJ	1/2"
PROBOARD	PBEZJ	5/8"
DURACLAD/AC/DIA	DCEZJ	7/8"
7/8" CORRUGATED HF/PROLOK	EZJ1	1"
WF-12-36	1236EZJ	1-1/4"
WF-636	636EZJ	1-1/2"




EZLOK T


PROFILE	CODE	DEPTH
WEATHERSHIELD	WSEZT	1/2"
PROBOARD	PBEZT	5/8"
DURACLAD/AC/DIA	DCEZT	7/8"
7/8" CORRUGATED HF/PROLOK	EZT1	1"
WF-12-36	1236EZT	1-1/4"
WF-636	636EZT	1-1/2"



PROBOARD EZLOK O/S CORNER PBEZOC



PROBOARD EZLOK I/S CORNER PBEZIC



TRIMS SMP 24 GAUGE PVDF/PRINTECH 24 GAUGE

EZLOK J


EZLOK T

PB EZLOK CORNERS


TERMS NET 30 DAYS. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

WALL TRANSITIONS AND STARTER BOX FLASHINGS


WALL TRANSITION MESA
WMWT




WALL TRANSITION WEATHERSHIELD
WSWT




WALL TRANSITION PROBOARD
PBWT




WALL TRANSITION DURACLAD/ALLCLAD/DIAMOND
DCWT




WALL TRANSITION WF-7/8" CORRUGATED
CORWT




WALL TRANSITION WF-HF/PROLOK
HFWT




WALL TRANSITION WF-12-36
1236WT




WALL TRANSITION WF-636
636WT




STARTER BOX WEATHERSHIELD
WSSB




STARTER BOX DURACLAD/ALLCLAD/DIAMOND
SB1




STARTER BOX WF-7/8" CORRUGATED
CORSB




STARTER BOX WF-HF/PROLOK
HFSB



STARTER BOX WF-12-36
1236SB



STARTER BOX WF-636
636SB



L TRIM




A	B	Code
1/2	2-1/2	PBLT
3/4	2-1/2	DCLT
1	2-1/2	CORLT
1-1/4	2-1/2	1236LT
1-1/2	2-1/2	636LT


WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

OUTSIDE CORNER FLASHINGS


**WEATHERSHIELD
WSCC**




**DURACLAD/ALLCLAD/DIAMOND
DCCC**




**WF-12-36
1236CC**




**WF-7/8" CORRUGATED
CORCC**




**WF-636 & WF-7/8" CORRUGATED
CORCCH**




**CORNER POST 1
CP1**




**CORNER POST 2
CP2**




**WEATHERSHIELD
WSOCP**




**PROBOARD
PBOCP**




**DURACLAD/ALLCLAD/DIAMOND
DCOCP**




**WF-7/8" CORRUGATED
COROCP**




**WF-HF/PROLOK
HFOCP**




**WF-12-36
1236OCP**




**WF-636
636OCP**



**MESA
WMOCHF**




**MESA
WMOC**




WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

INSIDE CORNER FLASHINGS


WEATHERSHIELD
WSICC




DURACLAD/ALLCLAD/DIAMOND
DCICC



WF-12-36
1236ICC




WF-7/8" CORRUGATED
CORICC




MESA
WMIC




INSIDE CORNER POST 1
ICP1




INSIDE CORNER POST 2
ICP2




WEATHERSHIELD
WSICP




PROBOARD
PBICP




DURACLAD/ALLCLAD/DIAMOND
DCICP




WF-7/8" CORRUGATED
CORICP




WF-HF/PROLOK
HFICP




WF-12-36
1236ICP




WF-636
636ICP




INSIDE CORNER TRIM 1
ICT1



INSIDE CORNER TRIM 2
ICT2




MESA
WMICHF




WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

QUICK LOCK CORNER FLASHINGS



OUTSIDE CORNER
 QLOC.75
 QLOC1



INSIDE CORNER
 QLIC.75
 QLIC1



QLOC.75 for 3/4" profiles
 QLOC1 for 1" profiles




WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
QLIC									
QLOC									


TERMS NET 30 DAYS. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

MISC. FLASHINGS


DIVIDER 1
7/8" CORRUGATED/WF-HF
DIV1




DIVIDER 2
7/8" CORRUGATED/WF-HF
DIV2




DOUBLE STARTER MESA
WMDS




DIVIDER
PROBOARD
PBD




BATTEN TRIM
PROBOARD
PBBT




SOFFIT DRIP
WF-HF
SODC




EAVE MESA
WMEAVE




WINDOW DRIP MESA
WMWDC




SKIRT MESA
WM1RIB




SKIRT MESA
WM2RIB




BASE TO CONCRETE
BTC




SOFFIT TO WALL
WF-HF
SOTW




PANEL SUPPORT
PROBOARD
PBZBAR



PANEL SUPPORT
WF-HF
HFZBAR



Z BAR TRIM SUPPORT (226A)
PROLOK
PROZBAR



WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									


PANEL SUPPORT - EACH RIDGE/HIP SUPPORT (226A) - EACH

TERMS NET 30 DAYS. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.


CHIMNEY FLASHINGS

ROOF FLASHINGS WILL BE 4/12 PITCH UNLESS OTHERWISE SPECIFIED


CHIMNEY SIDEWALL WEATHERSHIELD
WSCHSW




CHIMNEY SIDEWALL DURACLAD/ALLCLAD/DIAMOND
DCCHSW




CHIMNEY SIDEWALL WF-7/8" CORRUGATED
CORCHSW




CHIMNEY SIDEWALL PROLOK
PRCHSW




CHIMNEY SIDEWALL WF-12-36
1236CHSW



CHIMNEY SIDEWALL WF-636
636CHSW




CHIMNEY PAN
CHPAN



SPECIFY PITCH

CHIMNEY END WALL
CHEW

SPECIFY PITCH




WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

TERMS NET 30 DAYS. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.


SKYLITE FLASHINGS

SKYLITE PAN 1A
A = 2X4 CURB HEIGHT
SKY1A




18"

SKYLITE PAN 1B
B = 2X6 CURB HEIGHT
SKY1B




18"

SKYLITE PAN 1C
C = 2X8 CURB HEIGHT
SKY1C




24"

SKYLITE 2-A, B, C
WEATHERSHIELD
WSSKY2-A,B,C




- A=9"
- B=12"
- C=15"

SKYLITE 2-A, B, C
DURACLAD/ALLCLAD/DIAMOND
DCSKY2-A,B,C




- A=9"
- B=12"
- C=12"

SKYLITE 2-A, B, C
WF-7/8" CORRUGATED
CORSKY2-A,B,C




- A=9"
- B=12"
- C=15"

SKYLITE 2-A, B, C
PROLOK
PRSKY2-A,B,C




- A=9"
- B=12"
- C=15"

SKYLITE 2-A, B, C
WF-12-36
1236SKY2-A,B,C



- A=9"
- B=12"
- C=15"

SKYLITE 2-A, B, C
WF-636
636SKY2-A,B,C



- A=9"
- B=12"
- C=15"

WIDTH	GALV / LUME 29 GAUGE	SMP 29 GAUGE	GALV / LUME 26 GAUGE	SMP 26 GAUGE	PVDF/TEX 26 GAUGE	GALV / LUME 24 GAUGE	SMP 24 GAUGE	PVDF/TEX 24 GAUGE	ALUMINUM 24 GAUGE
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									