
Ridge, Hip, Peak and Roof Transition Flashings


Flashings will be 4/12 pitch unless otherwise specified

Ridge and Hip Caps


RR 12 — 4/12 Pitch
RR12 — 12"




RR 12 with Hems — 4/12 Pitch
RR12H — 12"




RC 15 — Specify Pitch
RC15 — 15"




RC 18 — Specify Pitch
RC18 — 18"




RC 24 — Specify Pitch
RC24 — 24"




PROTEK — Specify Pitch
PROTECK — 18"




PRO 12 — Specify Pitch
PRO12 — 12"




PRO 15 — Specify Pitch
PRO15 — 15"



PRO 18 — Specify Pitch
PRO18 — 18"




Peak Caps




PEAK	Weather shield 2 WSPEAK	Duraclad/Allclad Diamond DCPEAK	7/8" Corrugated CORPEAK	Prolok PROPEAK	WF 12-36 1236PEAK	WF 636 636PEAK
A	3 3/4"	3 3/4"	4 1/4"	3 3/4"	5 1/4"	6 1/2"
B	6 3/4"	6 3/4"	6 1/4"	6 3/4"	8 1/4"	7"
Material	12"	12"	12"	12"	15"	15"

Roof Transitions


RT 1 — Specify Both Pitches
RT1 — 12"



RT 2 — Specify Both Pitches
RT2 — 12"



RT 2 LOW — Specify Both Pitches
RT2L — 18"



Note: Low slope transition

Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									


January 2021

TERMS Net 30 Days. Prices subject to change without notice.

Eave and Snow Stop Flashings

Flashings will be 4/12 pitch unless otherwise specified


Eave Flashings



EAVE	Weather shield 2 WSEAVE	Duraclad/Allclad Diamond DCEAVE	7/8" Corrugated COREAVE	Prolok PROEAVE	WF 12-36 1236EAVE	WF 636 636EAVE
A	3 3/4"	4"	4"	4"	4"	3 1/4"
B	3 1/4"	2 3/4"	3 1/8"	2 1/2"	3 7/8"	4 3/4"
Material	9"	9"	9"	9"	9"	9"

HOOK EAVE Specify Pitch
EAVEH


9"



Note: Hook Eave is for Prolok 12 and 16 and will require removing material from the ribs and folding the flat portion of Prolok 180 degrees to hook the eave.


EAVE S Specify Pitch
EAVES

9"



EAVE SV Specify Pitch
EAVESV

12"




Note: Eave SV is designed with the use of Profile Vent for eave ventilation when an over-hang is not present.

Snow Stop Flashings


SS1
SS1

9"



Note: Weathershield 2 is recommended to use SnoBlox. Prolok 12 and 16 recommended to use SnoBlox or Clamp and rail snow retention system. (See accessories section).

SS2 (Reinforced 22ga)
SS2




Note: SS1 and 2 will work for Duraclad, Allclad, Diamond, WF 12-36, WF 636 and 7/8" Corrugated.

Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									


TERMS Net 30 Days. Prices subject to change without notice.

Gable Flashings


WEATHERSHIELD 2
WSGT




DURACLAD/ALLCLAD/ DIAMOND
DCGT




WF 7/8" CORRUGATED
CORGT




PROLOK
PRGT




WF-12-36
1236GT



WF-636
636GT



GT S
GTS




Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									


TERMS Net 30 Days. Prices subject to change without notice.

Prow Gable Flashings


WEATHERSHIELD 2
WSPROW




DURACLAD/ALLCLAD/DIAMOND
DCPROW




WF 7/8" CORRUGATED
CORPROW




PROLOK
PRPROW



WF-12-36
1236PROW



WF-636
636PROW



Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									


TERMS Net 30 Days. Prices subject to change without notice.

Valley, End Wall, Side Wall Flashings


Flashings will be 4/12 pitch unless otherwise specified

Valley and End Wall


WV 24 Specify Pitch
WV24




WV 36 Specify Pitch
WV36




V 36 Specify Pitch
V36



WV 36 Hook Specify Pitch
WVH36




V 36 Hook Specify Pitch
VH36




End Wall
EW

Specify Pitch




Side Walls


WEATHERSHIELD
WSSW




DURACLAD ALLCLAD DIAMOND
DCSW




WF 7/8" CORRUGATED
CORSW




PROLOK
PRSW



WF-12-36
1236SW



WF-636
636SW



Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									


TERMS Net 30 Days. Prices subject to change without notice.

Fascia, Over Head Door and Cannonball Covers

Fascia Covers

FC 6, 8, 10
FC(6,8,10)

FC	A	Total Material
6	5 1/2"	9"
8	7 1/2"	12"
10	9 1/2"	15"




FR 6, 8, 10
FR(6,8,10)

FR	A	Total Material
6	5 1/2"	9"
8	7 1/2"	12"
10	9 1/2"	15"




LT 6, 8, 10
LT(6,8,10)

LT	A	Total Material
6	5 1/2"	9"
8	7 1/2"	9"
10	9 1/2"	12"




LTR 6, 8, 10
LTR(6,8,10)

LTR	A	Total Material
6	5 1/2"	9"
8	7 1/2"	12"
10	9 1/2"	12"




Over Head Door Flashings

O/H Door Drip
OHDD




O/H Door Edge
OHDE




Cannonball Track Covers


Single Track Kwik-Frame
FACE



Single Track Bigg-Frame
BIGG



Double Track
DOUBLE



Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									


January 2021

TERMS Net 30 Days. Prices subject to change without notice.


Drip Caps and Header Flashings

Standard drip flashings will be bent with a 5 degree slope unless otherwise specified.


WEATHERSHIELD
WSDC




DURACLAD ALLCLAD DIAMOND
DCDC




WF 7/8" CORRUGATED
CORDC




WF-HF PROLOK
HFDC




WF-12-36
1236DC




WF-636
636DC




WEATHERSHIELD HEADER
WSHD




DURACLAD ALLCLAD DIAMOND HEADER
DCHD




WF 7/8" CORRUGATED HEADER
CORHD




WF-HF PROLOK HEADER
HFHD



WF-12-36 HEADER
1236HD



WF-636 HEADER
636HD




NOTE: HEADER drip flashings are color top and bottom for windows and doors.

Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									


TERMS Net 30 Days. Prices subject to change without notice.

J Trim Flashings


WEATHERSHIELD
WSJT1




DURACLAD ALLCLAD DIAMOND
DCJT1




WF 7/8" CORRUGATED
CORJT1




WF-HF
HFJT1




WF-12-36
1236JT1




WF-636
636JT1




WEATHERSHIELD
WSJT2




DURACLAD ALLCLAD DIAMOND
DCJT2




WF 7/8" CORRUGATED
CORJT2




PROLOK
PRJT2



WF-12-36
1236JT2



WF-636
636JT2



NOTE: JT2 profiles are color inside and outside.

Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

January 2021


TERMS Net 30 Days. Prices subject to change without notice.

EZLOK Trims (2 pcs trims)

Flashings will be 4/12 pitch unless otherwise specified

EZLOK J






PROFILE	THICKNESS
PB EZLOK J PBEZJ -Proboard 4 & 6	5/8"
1" EZLOK J EZJ1 - WF HF - 7/8" Corrugated - Prolok	1"

EZLOK T





PROFILE	THICKNESS
PB EZLOK T PBEZT -Proboard 4 & 6	5/8"
1" EZLOK T EZT1 - WF HF - 7/8" Corrugated - Prolok	1"


	24 Gauge SMP	24 Gauge Kynar / PVDF Printech / Woodgrains
EZLOCK J TRIMS		
EZLOCK T TRIMS		

TERMS Net 30 Days. Prices subject to change without notice.

Wall Transitions and Starter Boxes


Wall Transition

WEATHERSHIELD
WSWT




4"

DURACLAD ALLCLAD DIAMOND
DCWT




6"

WF 7/8" CORRUGATED
CORWT




6"

WF-HF PROLOK
HFWT




6"

WF-12-36
1236WT



6"


WF-636
636WT



6"


Starter Box

WEATHERSHIELD
WSSB




6"

DURACLAD ALLCLAD DIAMOND
SB1




6"

WF 7/8" CORRUGATED
CORSB




9"

WF-HF PROLOK
HFSB




9"

WF-12-36
1236SB



9"

WF-636
636SB



9"


Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

January 2021


TERMS Net 30 Days. Prices subject to change without notice.

Outside Corner Flashings


WEATHERSHIELD
WSCC




DURACLAD/ALLCLAD/ DIAMOND DCCC




WF-12-36
1236CC




WF 7/8" CORRUGATED
CORCC




WF-636
CORCCH




CORNER POST 1
CP1




CORNER POST 2
CP2




WEATHERSHIELD
WSOCP




DURACLAD/ALLCLAD/ DIAMOND DCOCP




WF 7/8" CORRUGATED
COROCP




WF-HF PROLOK
HFOCP



WF-12-36
1236OCP



WF-636
636OCP




Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

January 2021


TERMS Net 30 Days. Prices subject to change without notice.

Inside Corner Flashings


WEATHERSHIELD
WSICC




DURACLAD ALLCLAD DIAMOND
DCICC




WF-12-36
1236ICC




WF 7/8" CORRUGATED
CORICC




INSIDE CORNER POST 1
ICP1




INSIDE CORNER POST 2
ICP2




WEATHERSHIELD
WSICP




DURACLAD/ALLCLAD DIAMOND DCICP




WF 7/8" CORRUGATED
CORICP




WF-HF PROLOK HFICP




WF-12-36
1236ICP




WF-636
636ICP



I.C.T. 1 DURACLAD/ALLCLAD DIAMOND
ICT1



I.C.T. 2 WF-HF/WF 7/8" CORRUGATED PROLOK
ICT2




Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									


TERMS Net 30 Days. Prices subject to change without notice.

Soffit Drip, Transitions, Dividers, Z Bar, Base


DIVIDER 1
DIV1




DIVIDER 2
DIV2




SOFFIT DRIP
SODC




PROLOK Z BAR (22ga) (Perforated available)
PROZBAR




HF Z BAR (Panel Support)
HFZBAR




PROBOARD Z BAR (Panel Support)
PBZBAR



SOFFIT TO WALL
SOTW



BASE TO CONCRETE
BTC




Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

TERMS Net 30 Days. Prices subject to change without notice.


Chimney Flashings

Flashings will be 4/12 pitch unless otherwise specified


WEATHERSHIELD CHIMNEY SIDEWALL
WSCHSW




DURACLAD/ALLCLAD DIAMOND CHIMNEY SIDEWALL
DCCHSW




WF 7/8" CORRUGATED CHIMNEY SIDEWALL
CORCHSW




PROLOK CHIMNEY SIDEWALL
PRCHSW



WF-12-36 CHIMNEY SIDEWALL
1236CHSW




WF 636 CHIMNEY SIDEWALL
636CHSW




CHIMNEY PAN
Specify Pitch

CHPAN



CHIMNEY END WALL
CHEW

Specify Pitch




Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									


TERMS Net 30 Days. Prices subject to change without notice.

Skylite Flashings


SKYLITE PAN 1A (2x4 curb)
SKY1A




SKYLITE PAN 1B (2x6 curb)
SKY1B




SKYLITE PAN 1C (2x8 curb)
SKY1C




WEATHERSHIELD SKYLITE 2-A,B,C
WSSKY2-A,B,C




DURACLAD/ALLCLAD DIAMOND SKYLITE 2-A,B,C
DCSKY2-A,B,C




WF 7/8" CORRUGATED SKYLITE 2-A,B,C
CORSKY2-A,B,C




PROLOK SKYLITE 2-A,B,C
PRSKY2-A,B,C



WF-12-36 SKYLITE 2-A,B,C
1236SKY2-A,B,C



WF-636 SKYLITE 2-A,B,C
636SKY2-A,B,C



Width	Galva/lume 29 Gauge	SMP 29 Gauge	Galva/lume 26 Gauge	SMP 26 Gauge	PVDF 26 Gauge	Galva/lume 24 Gauge	SMP 24 Gauge	PVDF 24 Gauge	Aluminum 24 Gauge
4"									
6"									
9"									
12"									
15"									
18"									
24"									
30"									
36"									

TERMS Net 30 Days. Prices subject to change without notice.